



Timo d.o.o. Ajdovščina

[www.timo.si](http://www.timo.si)



# Vozički Strecherji

TROLLEY - STRECHER



## Voziče SI STRECHER

art. 151000

Univerzalni terapevtski voziček-STRECHER je dimenzijko in konstrukcijsko izdelan tako, da nam omogoča glede na svojo sodobno obliko, zelo lahko premeščanje in transport pacientov.

Samo ležišče je nastavljivo po višini, s pomočjo hidravličnega cilindra in možnostjo postavitve v trendelenburg položaj.

Plošča ležišča je izdelana iz materiala, propustnega za rentgenske žarke.

## Trolley STRECHER

art. 151000

All-purpose therapeutic stretcher's size construction, up-to-date design and function enable easy moving around and transport of patients.

The stretcher is adjustable in height by means of a hydraulic cylinder and can be set to trendelenburg position.

The stretcher bottom is made of material trough wich X-rays can pass.

### Dimenzije / nakloni ležišča / Dimensions / angles of mattress platform:

↔ 2000 mm (2050 mm)

↻ 600 mm (720 mm)


↑ 500 - 890 mm

0° - 60° - Regulacija vzglavja / Backrest regulation

0° - 18° - Regulacija trendelenburg položaja / Trendelenburg position adjustment

**Za ogled osnovne in dodatne opreme vozička strecher glej strani 4 in 5.**

To view the basic and additional equipment of trolley stretcher see pages 4 and 5.



## SI Voziček STRECHER - električni

art. 151010

Voziček STRECHER – električni je dimenzijsko in konstrukcijsko izdelan tako, da nam glede na svojo sodobno obliko in funkcijo, omogoča zelo lahek transport pacientov.

Samo ležišče vozička je nastavljivo po višini s pomočjo dveh stebrih elektro motorjev.

Ležišče ima možnost regulacije vzglavja od 0°-60° in postavitve v trendelenburg - antitrendelenburg položaj.


## EN Trolley - STRECHER - electric


art. 151010


All-purpose therapeutic stretcher's size construction, up-to-date design and function enable easy moving around and transport of patients.


Mattress platform is in two section and offers the manual head rest adjustment 0°-60°, trendelenburg and antitrendelenburg adjustment  $\pm 20^\circ$  and height adjustment with two motors in the columns with a maximum lifting load of 200 kg.


### Dimenzije / nakloni ležišča / Dimensions / angles of mattress platform:

 2000 mm (2050 mm)

 700 mm (820 mm)

 570 - 970 mm

 0° - 60° - Regulacija vzglavja / Backrest regulation


 0°  $\pm$  20° - Regulacija trendelenburg - antitrendelenburg položaja / Trendelenburg - antitrendelenburg position adjustment

**Za ogled osnovne in dodatne opreme vozička strecher glej strani 4 in 5.**

To view the basic and additional equipment of trolley stretcher see pages 4 and 5.

<b>Osnovna oprema /</b> Basic equipment	<b>151000</b>	<b>151010</b>
Kolesa fi 125 Wheels fi 125	✓	✗
Kolesa fi 200 Wheels fi 200	✗	✓
Odbojna kolesa buffer wheels	✓	✓
Ograjica collapsible safety sides	✓	✓
Blazina višine 5 cm supporting cushion thickness of 5 cm	✓	✓

<b>Dodatna oprema /</b> Additional equipment	<b>151000</b>	<b>151010</b>
Kolesa fi 200 Wheels fi 200	✓	✓
Nosilec za papir Paper holder	✓	✓
Infuzijsko stojalo IV stand for infusion	✓	✓
Blazina višine 10 cm supporting cushion thickness of 10 cm	✓	✓
Košara za osebne stvari clothes basket	✓	✓
Nosilec kisikove jeklenke oxygen cylinder holder	✓	✓
Širina ležišča 70 cm width of mattress platform 70 cm	✓	✓
Temperaturna tabla temperature table chart holder	✓	✓



**BELA-WHITE no.  
207X522**



**BEIGE LIGHT no.  
208X2382**



**BEIGE DARK no.  
238X2438**



**SIVA-GREY LIGHT no.  
207X2395**



**SIVA-GREY DARK no.  
207X3120**



**ČRNA-BLACK no.  
217X1011**



**MODRA-BLUE no.  
207X729**



**ZELENA-GREEN no.  
208X773**



**ZELENA-GREEN no.  
208X1011**



**RUMENA-YELLOW no.  
208X614**



**ORANŽNA-ORANGE no.  
208-3107**



**VIJOLA-VIOLET no.  
208X747**



**RJAVA-BROWN no.  
207X370**



**RDEČA-RED no.  
207X1173**



**RDEČA-RED no.  
207X3106**



## SI Voziček za prevoz umrlih - hidravlični

art. 151100

Podvozje vozička je izdelano iz jeklenih cevi pobarvanih z epoksi prahom.

Ležišče vozička je izdelano iz inox pločevine, z blagim robom.

Voziček je opremljen z odbojnimi kolesi, ročaji za prevoz, bočnimi zlo-žljivimi ograjicami in s štirimi kolesi fi 125 mm s centralnim zavornim sistemom.

Dovoljeno pranje in dezinfekcija na 85 °C.

**Dimenzije ležišča / Dimensions of mattress platform:**

↔ 2050 mm (2200 mm)

↻ 665 mm (815 mm)

↑ 490 - 870 mm

## EN Trolley for transport of the deceased - hydraulic

art. 151100

The construction of the trolley is made of steel tubes painted with epoxy powders coat.

The mattress platform is made of inox stainless steel with a slight edge.

The trolley is equipped with buffering wheels, handles for transport, folding side rails and four wheels fi 125, with central braking system.

Washing and disinfection are permitted to 85 °C.

EN



SI **Voziček za prevoz umrlih -  
na fiksni višini**

**art. 151705**

Voziček je v celoti izdelan iz inox nerjavečega materiala.

Ogrodje vozička je izdelano iz okroglih cevi, ležišče iz pločevine, z blagim robom.

Voziček je opremljen z odbojnimi kolesi, ročaji za prevoz in s štirimi kolesi fi 200 mm, od tega sta dve opremljeni s točkovnim zavornim sistemom.

Dovoljeno pranje in dezinfekcija na 85 °C.

**Dimenzije ležišča / Dimensions of mattress platform:**

↔ 2050 mm (2200 mm)

↻ 665 mm (815 mm)

↑ 800 mm

**Trolley for transportation of the deceased  
at a fixed height**

EN

**art. 151705**

Trolley is completely made of INOX stainless steel.

Trolley construction is made of round tubes, the mattress platform is made of inox stainless steel with a slight edge.

The trolley is equipped with buffing wheels, handles for transport and four transport wheels fi 200 mm, of which two are equipped with single brake.

Washing and disinfection are permitted to 85 °C.



**Timo** d.o.o. Ajdovščina

Vipavska cesta 4i  
5270 Ajdovščina  
Slovenija



ZA NAROČILO PREPROSTO POKLIČITE



[www.timo.si](http://www.timo.si)

Tel.: 05 36 89 330

Faks: 05 36 63 805

E-mail: [info@timo.si](mailto:info@timo.si)